THE METAL PAGES

01992 301 927 07000 ALM HMS

VMZINC	Thickness	Coil	Length	Weight	Finish - standard &	
Coil Width	mm	Weight	L-MTR Per Sqm	PLUS		
500mm	0.7	100kg	39	5.04kg	Nat/QZ/ANTH +	
570mm	0.7	100kg	34	5.04kg	Nat/QZ/ANTH +	Appeal of the last
600mm	0.7	100kg	33	5.04kg	Nat/QZ/ANTH +	100
670mm	0.7	100kg	30	5.04kg	Nat/QZ/ANTH +	1000
1000mm	0.7	100kg	20	5.04kg	Nat/QZ/ANTH +	
		Ü		Č		
500mm	0.8	100kg	34	5.76kg	Nat/QZ/ANTH +	1050
570mm	0.8	100kg	30	5.76kg	Nat/QZ/ANTH +	
600mm	0.8	100kg	28	5.76kg	Nat/QZ/ANTH +	
670mm	0.8	100kg	26	5.76kg	Nat/QZ/ANTH +	
1000mm	0.8	100kg	17	5.76kg	Nat/QZ/ANTH +	==
100011111	0.0	TOOKg	17	3.70Kg	Nat/QZ/ANTII +	
Sheet Dimensions	mm	Weight	L-MTR	Don Cam		
Sheet Dimensions	mm	vveigni	L-WH K	Per Sqm		
2000 1000	0.7	10.01		E 0.41	N /OZ/ANEU	
2000 x 1000mm	0.7	10.8kg		5.04kg	Nat/QZ/ANTH +	11 2
3000 x 1000mm	0.7	10.8kg		5.04kg	Nat/QZ/ANTH +	100
2000 x 1000mm	0.8	11.52kg		5.76kg	Nat/QZ/ANTH +	100
3000 x 1000mm	0.8	11.52kg		5.76kg	Nat/QZ/ANTH +	
2000 x 1000mm	1	14.5kg		7.2kg	Nat/QZ/ANTH +	100
3000 x 1000mm	1	21.6kg		7.2kg	Nat/QZ/ANTH +	
				, and the second		
Not all sheet finishes	and sizes are stocked	d items but can be obt	ained depending on order	quantity		
PIGMENTO sheet &			1 8	1 /		
RHEINZINK	Thickness	Coil	Length	Weight	Finish	- A
	Thickness mm	Coil Weight	Length L-MTR	Weight Per Sam	Finish	
RHEINZINK Coil Width	Thickness mm	Coil Weight	Length L-MTR	Weight Per Sqm	Finish	
Coil Width	mm	Weight	L-MTR	Per Šqm		$\square \Lambda$
Coil Width 500mm	mm 0.7	Weight 150kg	L-MTR 59	Per Šqm 5.04kg	Mill/B-G/GRAPH	
Coil Width 500mm 575mm	mm 0.7 0.7	Weight 150kg 150kg	L-MTR 59 51	Per Sqm 5.04kg 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN	mm 0.7 0.7 0.7	Weight 150kg 150kg 150kg	L-MTR 59 51 49	Per Šqm 5.04kg 5.04kg 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm	mm 0.7 0.7 0.7 0.7 0.7	Weight 150kg 150kg 150kg 150kg	L-MTR 59 51 49 44	Per Šqm 5.04kg 5.04kg 5.04kg 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.7	Weight 150kg 150kg 150kg 150kg 150kg	L-MTR 59 51 49 44 29	Per Šqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm	mm 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.8	Weight 150kg 150kg 150kg 150kg 150kg 150kg 150kg	L-MTR 59 51 49 44 29 52	Per Šqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm	mm 0.7 0.7 0.7 0.7 0.7 0.7 0.8 0.8	Weight 150kg 150kg 150kg 150kg 150kg 150kg 150kg 150kg	L-MTR 59 51 49 44 29 52 45	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN	mm 0.7 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8	Weight 150kg 150kg 150kg 150kg 150kg 150kg 150kg 150kg	L-MTR 59 51 49 44 29 52 45 43	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm	mm 0.7 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8	Weight 150kg 150kg 150kg 150kg 150kg 150kg 150kg 150kg 150kg	L-MTR 59 51 49 44 29 52 45 43 38	5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN	mm 0.7 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8	Weight 150kg 150kg 150kg 150kg 150kg 150kg 150kg 150kg	L-MTR 59 51 49 44 29 52 45 43	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8	Weight 150kg	L-MTR 59 51 49 44 29 52 45 43 38 26	5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8	Weight 150kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request	5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8	Weight 150kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request	5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8	Weight 150kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request	5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8	Weight 150kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request s.	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for in Rheinzink PRO Roos	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 tterior and seaside lofer is available for William	Weight 150kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request	5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 570mm 675mm 600mm ORDER IN 675mm 1000mm Special finishes for in Rheinzink PRO Roos	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 tterior and seaside lofer is available for We	Weight 150kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request s.	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for in Rheinzink PRO Roos Sheet Dimensions	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 tterior and seaside lofer is available for William 0.7	Weight 150kg Weight 10.8kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request s.	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 570mm 675mm 600mm ORDER IN 675mm 1000mm Special finishes for in Rheinzink PRO Roos	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 tterior and seaside lofer is available for We	Weight 150kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request s.	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for in Rheinzink PRO Root Sheet Dimensions 2000 x 1000mm 3000 x 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 mterior and seaside lofer is available for William 0.7 1	Weight 150kg Weight 10.8kg 21.6kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request s. L-MTR	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg	Mill/B-G/GRAPH Mill/B-G	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for in Rheinzink PRO Root Sheet Dimensions 2000 x 1000mm 3000 x 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 mterior and seaside lofer is available for William 0.7 1 Thickness	Weight 150kg Weight 10.8kg 21.6kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request s. L-MTR	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg Weight	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for ir Rheinzink PRO Roo Sheet Dimensions 2000 x 1000mm 3000 x 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 mterior and seaside lofer is available for William 0.7 1 Thickness mm	Weight 150kg Coation are available uper arm Roof applications Weight 10.8kg 21.6kg Coil Weight	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request 3. L-MTR	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg Weight Per Sqm	Mill/B-G/GRAPH Mill/B-G/FRAPH Mill/B-G	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for ir Rheinzink PRO Roo Sheet Dimensions 2000 x 1000mm 3000 x 1000mm NEDZINK Coil Width 600mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 mterior and seaside lofer is available for William 0.7 1 Thickness mm 0.7	Weight 150kg Coation are available uper arm Roof applications Weight 10.8kg 21.6kg Coil Weight 100kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request 3. L-MTR Length L-MTR 33	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg Weight Per Sqm 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/FRAPH Mill/B-G BLUE GREY BLUE GREY Finish	
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 570mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for ir Rheinzink PRO Roo Sheet Dimensions 2000 x 1000mm 3000 x 1000mm NEDZINK Coil Width 600mm 670mm	mm 0.7 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 Thickness mm 0.7 0.7	Weight 150kg Ocation are available uper arm Roof applications Weight 10.8kg 21.6kg Coil Weight 100kg 100kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request 3. L-MTR Length L-MTR 33 30	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg Weight Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/FRAPH Mill/B-G BLUE GREY BLUE GREY Finish NOVA/NOIR/PRO TO NOVA/NOIR/PRO N	TEC
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 500mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for ir Rheinzink PRO Roo Sheet Dimensions 2000 x 1000mm 3000 x 1000mm NEDZINK Coil Width 600mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 mterior and seaside lofer is available for William 0.7 1 Thickness mm 0.7	Weight 150kg Coation are available uper arm Roof applications Weight 10.8kg 21.6kg Coil Weight 100kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request 3. L-MTR Length L-MTR 33	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg Weight Per Sqm 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/FRAPH Mill/B-G BLUE GREY BLUE GREY Finish	TEC
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for in Rheinzink PRO Roo Sheet Dimensions 2000 x 1000mm 3000 x 1000mm NEDZINK Coil Width 600mm 670mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 Tterior and seaside lofer is available for William 0.7 1 Thickness mm 0.7 0.7 0.7 0.7	Weight 150kg Ocation are available uper a second and a second applications Weight 10.8kg 21.6kg Coil Weight 100kg 100kg 100kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request 3. L-MTR Length L-MTR 33 30 20	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg Weight Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/ORAPH Mill/B-G/ORAPH Mill/B-G/ORAPH Mill/B-G	TEC TEC
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for ir Rheinzink PRO Roo Sheet Dimensions 2000 x 1000mm 3000 x 1000mm NEDZINK Coil Width 600mm 670mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 Tterior and seaside lofer is available for William 0.7 1 Thickness mm 0.7 0.7 0.7 0.7 0.8	Weight 150kg 160kg 150kg 150kg 150kg 150kg 150kg 150kg 150kg 150kg 100kg 100kg 100kg 100kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request 3. L-MTR Length L-MTR 33 30 20 28	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg Weight Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/ORAPH Mill/B-G/ORAPH Mill/B-G BLUE GREY BLUE GREY Finish NOVA/NOIR/PRO TO NOVA/NOIR/PRO T	TEC TEC
Coil Width 500mm 575mm 600mm ORDER IN 675mm 1000mm 575mm 600mm ORDER IN 675mm 1000mm Special finishes for in Rheinzink PRO Roo Sheet Dimensions 2000 x 1000mm 3000 x 1000mm NEDZINK Coil Width 600mm 670mm 1000mm	mm 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 Tterior and seaside lofer is available for William 0.7 1 Thickness mm 0.7 0.7 0.7 0.7	Weight 150kg Ocation are available uper a second and a second applications Weight 10.8kg 21.6kg Coil Weight 100kg 100kg 100kg	L-MTR 59 51 49 44 29 52 45 43 38 26 pon request 3. L-MTR Length L-MTR 33 30 20	Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg 5.76kg 5.76kg 5.76kg 5.76kg 5.76kg Weight Per Sqm 5.04kg 5.04kg 5.04kg 5.04kg 5.04kg	Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/GRAPH Mill/B-G/ORAPH Mill/B-G/ORAPH Mill/B-G/ORAPH Mill/B-G	TEC TEC TEC

















A	APERAM Stainless	Thickness mm	Weight kg	Length L-MTR	Weight Per Sqm	Finish
	UGITOP 43 - APERA Coil Grade 304	AM Stainless Steel				
-	580mm	0.4	100kg	58	3.00kg	Stainless
	1000mm	0.4	100kg	34	3.00kg	Stainless
100	1250mm	0.4	100kg	26	3.00kg	Stainless
-	580mm 1000mm	0.5 0.5	100kg 100kg	44 25	4.00kg 4.00kg	Stainless Stainless
V	1250mm	0.5	100kg	20	4.00kg	Stainless
	UGITOP 44 - APERA Coil Grade 316	AM Stainless Steel				
	580mm	0.4	100kg	58	3.00kg	Stainless
100	1000mm	0.4	100kg	33	3.00kg	Stainless
100	1250mm	0.4	100kg	26	3.00kg	Stainless
-	580mm	0.5	100kg	43	4.00kg	Stainless
VIII.	1000mm 1250mm	0.5 0.5	100kg 100kg	25 20	4.00kg 4.00kg	Stainless Stainless
	FME K44 Coil - APEI	RAM Stainless Steel				
1	580mm	0.5	100kg	42	4.00kg	Terne coat Stainless
V.	1160mm	0.5	100kg	21	4.00kg	Terne coat Stainless
	FALZINC	Thickness	Weight	Length	Weight	Finish
	Coil Zinc Coated Alumini	mm um	kg	L-MTR	Per Sqm	
	GREY 600mm	0.7	100kg	88	1.9	Zinc coated Ali
100	GREY 670mm	0.7	100kg	78	1.9	Zinc coated Ali
	DARK 600mm	0.7	100kg	88	1.9	Zinc coated Ali
100	Titan Silver 600mm	0.7	100kg	88	1.9	Zinc coated Ali
Land B	GREY 670mm	1.0	100kg	62	2.7	Zinc coated Ali
	GREY 670mm DARK 600mm	1.0 1.0	100kg 100kg	55 62	2.7 2.7	Zinc coated Ali Zinc coated Ali
	Titan Silver 600mm	1.0	100kg	62	2.7	Zinc coated Ali
	FALZONAL	Thickness	Weight	Length	Weight	Finish
	Coil	mm	kg	L-MTR	Per Sqm	1 1111011
	Various Colours	0.7	100/125kg	88	1.9	Painted Aluminium
	600mm Group colours 0/1/2/3	3/4/5				
- 10	Various Colours	0.7	100/125kg	78	1.9	Painted Aluminium
V	670mm					
AMERICA	Non Branded copper	Thickness	Weight	Length	Weight	Finish
	Coil Width	mm	VARIABLE	L-MTR	Per Sqm	
	600mm	0.6	100kg	30	5.34kg	Bright / Classic
	670mm	0.6	112kg	30	5.34kg	Bright / Classic
100	1000mm	0.6	130kg	24	5.34kg	Bright / Classic
	600mm 670mm	0.7 0.7	112kg 125kg	30 30	6.23kg 6.23kg	Bright / Classic Bright / Classic
	1000mm	0.7	125kg 125kg	20	6.23kg	Bright / Classic

















						-
Aurubis	Thickness	Weight	Length	Weight	Finish	
LuvataCopper	mm	VARIABLE	L-MTR	Per Šqm		
Mill Finish & Nordi						
Other thicknesses a	nd widths available					
600mm	0.6	100kg	30	5.34kg	Mill Finish/Oxidised	
670mm	0.6	112kg	30	5.34kg	Mill Finish/Oxidised	
1000mm	0.6	130kg	24	5.34kg	Mill Finish/Oxidised	
600	0.7	112	20	C 221	ACILE: 1.10.11. 1	
600mm 670mm	0.7 0.7	112kg 125kg	30 30	6.23kg 6.23kg	Mill Finish/Oxidised Mill Finish/Oxidised	
1000mm	0.7	125kg 125kg	20	6.23kg	Mill Finish/Oxidised	
						_
Aurubis	Thickness	Weight	Length	Weight	Finish	
Luvata Copper	mm	VARIABLE	L-MTR	Per Sqm		
Nordic Green & Blu Other thicknesses a						
Other thicknesses a	iid widtiis availabie					
600mm	0.6	100kg	30	5.34kg	Pre Pantinated	
670mm	0.6	112kg	30	5.34kg	Pre Pantinated	
1000mm	0.6	130kg		5.34kg	Pre Pantinated	
600mm	0.7	112kg	30	6.23kg	Pre Pantinated	
670mm	0.7	125kg	30	6.23kg	Pre Pantinated	
1000mm	0.7	125kg	20	6.23kg	Pre Pantinated	
		Weight	Length	Weight	Finish	
Aurubis	Thickness	vvcigiii	LCIIgui			
Luvata Copper	Thickness mm	VARIABLE	L-MTR	Per Sqm		
Luvata Copper Nordic Bronze	mm					
Luvata Copper	mm					
Luvata Copper Nordic Bronze Other thicknesses a	mm nd widths available	VARIABLE	L-MTR	Per Šqm		
Luvata Copper Nordic Bronze	mm	VARIABLE 100kg		Per Šqm 5.29kg	Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm	mm nd widths available 0.6 0.6 0.6 0.6	VARIABLE	L-MTR 30	Per Šqm	Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 600mm	mm 0.6 0.6 0.6 0.6 0.7	VARIABLE 100kg 112kg 130kg 112kg	L-MTR 30 30 24 30	Per Šqm 5.29kg 5.29kg 5.29kg 6.17kg	Bronze Bronze Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 600mm 670mm	mm 0.6 0.6 0.6 0.6 0.7 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg	L-MTR 30 30 30 24 30 30	Per Šqm 5.29kg 5.29kg 5.29kg 6.17kg 6.17kg	Bronze Bronze Bronze Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 600mm	mm 0.6 0.6 0.6 0.6 0.7	VARIABLE 100kg 112kg 130kg 112kg	L-MTR 30 30 24 30	Per Šqm 5.29kg 5.29kg 5.29kg 6.17kg	Bronze Bronze Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 600mm 670mm	mm 0.6 0.6 0.6 0.7 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg	L-MTR 30 30 24 30 30 22	Per Šqm 5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg	Bronze Bronze Bronze Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm	mm 0.6 0.6 0.6 0.6 0.7 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg	L-MTR 30 30 30 24 30 30	Per Šqm 5.29kg 5.29kg 5.29kg 6.17kg 6.17kg	Bronze Bronze Bronze Bronze Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass	mm olimits available olimits available olimits olimits available olimits o	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg 125kg	L-MTR 30 30 24 30 30 20 Length	Per Šqm 5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight	Bronze Bronze Bronze Bronze Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper	mm olimits available olimits available olimits olimits available olimits o	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg 125kg	L-MTR 30 30 24 30 30 20 Length	Per Šqm 5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight	Bronze Bronze Bronze Bronze Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a	mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Veight VARIABLE	L-MTR 30 30 24 30 30 20 Length L-MTR	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm	Bronze Bronze Bronze Bronze Bronze Bronze Finish	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass	mm olimits available olimits available olimits olimits available olimits o	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Veight VARIABLE	L-MTR 30 30 24 30 30 20 Length	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm	Bronze Bronze Bronze Bronze Bronze Bronze	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a	mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.6	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Veight VARIABLE	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 30 24	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm	Bronze Bronze Bronze Bronze Bronze Bronze Finish	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm	mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.6 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Veight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 24 30 30 30 24 30	5.29kg 5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass Brass Brass Brass Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm 670mm 1000mm	mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 125kg	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 24 30 30 24 30 30 30	5.29kg 5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass Brass Brass Brass Brass Brass Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 600mm	mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.6 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Veight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 24 30 30 30 24 30	5.29kg 5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass Brass Brass Brass Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm 600mm 670mm 1000mm	mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 130kg 112kg 125kg	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 24 30 30 24 30 30 24	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg 6.09kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm 640mm	mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 125kg	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 24 30 30 24 30 30 30	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg 6.09kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass Brass Brass Brass Brass Brass Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm 400mm 670mm 1000mm 600mm 670mm 1000mm 670mm 1000mm	mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 130kg 112kg 125kg 125kg	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 30 24 30 30 24 30 30 20 Length	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg 6.09kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm 640mm	mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 130kg 112kg 125kg 125kg	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 30 24 30 30 24 30 30 20 Length	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg 6.09kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm 6400mm 670mm 1000mm	mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 135kg 125kg Veight VARIABLE	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 30 24 30 30 24 30 20 Length L-MTR	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg 6.09kg Weight Per Sqm	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm	mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.7 0.7 0.7 0.7 0.7 Thickness mm	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 130kg 112kg 145kg 146kg	L-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 30 24 30 30 24 30 30 20 Length L-MTR	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg Weight Per Sqm 4.86kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm	mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.7 0.7 0.7 0.7 Thickness mm	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 125kg 125kg 125kg 125kg 125kg 125kg	1-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 30 24 30 30 24 30 30 20 Length L-MTR	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg 4.86kg 4.86kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm 4urubis Luvata Copper Nordic Brass Other thicknesses a	mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.7 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg 125kg 125kg 125kg 112kg 130kg 112kg	30 30 30 24 30 30 20 Length L-MTR 30 30 24 30 30 20 Length L-MTR	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg 4.86kg 4.86kg 4.86kg 4.86kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass	
Luvata Copper Nordic Bronze Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm Aurubis Luvata Copper Nordic Brass Other thicknesses a 600mm 670mm 1000mm 670mm 1000mm 4urubis Luvata Copper Nordic Brass Other thicknesses a	mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.7 0.7 0.7 Thickness mm nd widths available 0.6 0.6 0.7 0.7 0.7 0.7 Thickness mm	VARIABLE 100kg 112kg 130kg 112kg 125kg 125kg Weight VARIABLE 100kg 112kg 130kg 112kg 130kg 112kg 125kg 125kg 125kg 125kg 125kg 125kg	1-MTR 30 30 30 24 30 30 20 Length L-MTR 30 30 30 24 30 30 24 30 30 20 Length L-MTR	5.29kg 5.29kg 5.29kg 6.17kg 6.17kg 6.17kg Weight Per Sqm 5.22kg 5.22kg 5.22kg 6.09kg 6.09kg 6.09kg 4.86kg 4.86kg	Bronze Bronze Bronze Bronze Bronze Bronze Finish Brass	

















_			_	_		
	Aurubis Luvata Copper	Thickness mm	Weight VARIABLE	Length L-MTR	Weight Per Sqm	Finish
	Nordic Décor Other thicknesses and				-	
	600mm	0.7	112kg	30	6.23kg	Patterned Mill Finish
	670mm 1000mm	0.7 0.7	125kg 125kg	30 20	6.23kg 6.23kg	Patterned Mill Finish Patterned Mill Finish
	KME Classic Coil Width	Thickness mm	Weight VARIABLE	Length L-MTR	Weight Per Sqm	Finish
	600mm	0.6	100kg	30	5.34kg	Bright / Classic
	670mm 1000mm	0.6 0.6	112kg 130kg	30 24	5.34kg 5.34kg	Bright / Classic Bright / Classic
	600mm 670mm	0.7 0.7	112kg 125kg	30 30	6.23kg 6.23kg	Bright / Classic Bright / Classic
V	1000mm	0.7	125kg 125kg	20	6.23kg	Bright / Classic
\wedge	KME Oxid Coil Width	Thickness mm	Weight VARIABLE	Length L-MTR	Weight Per Sqm	Finish
	600mm ORDER IN	0.6	100kg	30	5.34kg	Oxid
	670mm ORDER IN 600mm	0.6 0.7	112kg 112kg	30 30	5.34kg 6.23kg	Oxid Oxid
	670mm 1000mm	0.7 0.7	125kg 125kg	30 20	6.23kg 6.23kg	Oxid Oxid
	KME BRONZE Coil Width	Thickness mm	Weight VARIABLE	Length L-MTR	Weight Per Sqm	Finish
	600mm EXTRA COST 670mm	Γ0.7 0.7	112kg 124kg	30 30	6.18kg 6.18kg	Bronze Bronze
	Sheet Dimensions 3000 x 670mm	0.7	12.5kg		6.18kg	Bronze
	KME Brass Sheet Dimensions	Thickness mm	Weight kg	Length L-MTR	Weight Per Sqm	Finish
	2M X 670mm ORDEF		0.7		5.95kg	Brass
	3M X 670mm ORDER 3M X 1000mm ORDE		0.7 0.7		5.95kg 5.95kg	Brass Brass
	3M X 1000mm ORDE	RIN	1.00		8.50kg	Brass
V	2M X 1000mm ORDE	R IN	1.00		8.50kg	Brass
	KME Gold Coil Width	Thickness mm	Weight VARIABLE	Length L-MTR	Weight Per Sqm	Finish
	670mm	0.7	113kg	30	5.63kg	Gold
	1000mm Sheet Dimensions	0.7	169kg	30	5.63kg	Gold
	2000 x 600mm 2000 x 670mm	0.7 0.7			5.63kg 5.63kg	Gold Gold
V	Subject to order quant					
	KME ZINN	Thickness	Weight	Length	Weight	Finish
	Coil Width 6 ton Minimum order	mm	VAŘÍABLE	L-MTR	Per Sqm	
	600mm	0.7	108kg	30	6.022kg	ZINN
	670mm 6 ton Minimum order	0.7	121kg	30	6.022kg	ZINN
	ons provided within this document a					

















KME Patina Sheet Dimensions	Thickness mm	Weight	Length L-MTR	Weight Per Sqm	Finish
2000 x 600mm 2000 x 670mm 2000 x 1000mm 3000 x 600mm 3000 x 670mm 3000 x 1000mm PATINA SHEET 0.6/0.8/1.0/1.2/1.5 th	0.7 0.7 0.7 0.7 0.7 0.7	7.5kg 8.5kg 12.5kg 11.5kg 12.5kg 19.0kg		6.23kg 6.23kg 6.23kg 6.23kg 6.23kg 6.23kg	Patina Green
TECU Mesh Sheet Dimensions	Thickness mm	Weight L-MTR	Length Per Sqm	Weight	Finish
2000 x 1000mm	0.7				

REES Snow Guard kits

Aluminium Tube 32/2mm Length 3metre Aluminium Snow retention brackets – 1 per seam Aluminium Snow Stop PVC Tube Connectors

ALM HM stock complete Rainwater Systems in various profiles and sizes, please call for more information




















TOOLS























SOLDERING



MACHINERY



























ALM HM are the UK's largest stockholder for all major metal manufacturers including VMZINC, Rheinzink, Nedzink, Aperam Stainless Steel, KME Copper, Aurubis Copper, Falzinc, and Elval Coated Aluminium. We stock all fixings, installation tools, machinery and accessories along with rainwater systems, underlays, insulation and more.

Please call 07000 256467 - Fax: 01992 461 665 or email sales@almhm.co.uk